

# 3.2 EPIC® DA - VINCI H - B


Kupplungsgehäuse / Cable coupler hood / Capot prolongateur



PG



M



**EPIC® H-B Gehäuse: Kupplungsgehäuse (Kabeleingang gerade, Längsbügel, hohe Bauform)**

*EPIC® H-B housings: cable coupler hood (top entry, single locking lever, high version)*

*Boîtiers EPIC® H-B: capot prolongateur (sortie verticale, simple levier, version haute)*

## H-B 16

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 16 TBFH-LB 21	<b>70092200</b>	21		●	93,3	111	109,5			43						78,8			50	
H-B 16 TBFH-LB 29	<b>70092400</b>	29		●	93,3	111	109,5			43						78,8			50	
H-B 16 TBFH-LB M25	<b>79092200</b>		25		93,3	111	109,5			43						78,8			50	
H-B 16 TBFH-LB M32	<b>79092400</b>		32																	

Einsätze / Inserts / Inserts: 1.4: H-BE 16 / 1.5: H-EE 32 / 1.6: H-BS 6 / 1.7: H-BVE 6 / 1.8: H-D 40 / 1.9: H-DD 72 / 1.10: MC 16  
Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG

## H-B 24

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 24 TBFH-LB 21	<b>70142400</b>	21		●	120	138	136,5			43						78,8			50	
H-B 24 TBFH-LB 29	<b>70142600</b>	29		●	120	138	136,5			43						78,8			50	
H-B 24 TBFH-LB M25	<b>79142400</b>		25		120	138	136,5			43						78,8			50	
H-B 24 TBFH-LB M32	<b>79142600</b>		32																	

Einsätze / Inserts / Inserts: 1.4: H-BE 24 / 1.5: H-EE 46 / 1.7: H-BVE 10 / 1.8: H-D 64 / 1.9: H-DD 108 / 1.10: MC 24  
Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG

# 3.2 EPIC® D A - V I N C I H - B


Kupplungsgehäuse / Cable coupler hood / Capot prolongateur



PG



M



**EPIC® H-B Gehäuse: Kupplungsgehäuse (Kabeleingang gerade, Querbügel)**

*EPIC® H-B housings: cable coupler hood (top entry, double locking lever)*

*Boîtiers EPIC® H-B: capot prolongateur (sortie verticale, double levier)*

## H-B 10

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 10 TBF 16	<b>10046000</b>	16	●		73	27				43	57,8	53				54,8				116
H-B 10 TBF 21	<b>70040200</b>	21	●																	
H-B 10 TBF M20	<b>19046000</b>		20		73	27				43	57,8	53				54,8				116
H-B 10 TBF M25	<b>79040200</b>		25																	

Einsätze / Inserts / Inserts: 1.4: H-BE 10 / 1.5: H-EE 18 / 1.7: H-BVE 3 / 1.9: H-DD 42 / 1.10: MC 10

Deckel / Cover / Couvercle: 6.1: H-B 10


Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG



PG



M



## H-B 16

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 16 TBF 21	<b>10086000</b>	21	●		93,3	47,5				43	57,8	53				63,6				136,5
H-B 16 TBF M25	<b>19086000</b>		25		93,3	47,5				43	57,8	53				63,6				136,5

Einsätze / Inserts / Inserts: 1.4: H-BE 16 / 1.5: H-EE 32 / 1.6: H-BS 6 / 1.7: H-BVE 6 / 1.8: H-D 40 / 1.9: H-DD 72 / 1.10: MC 16

Deckel / Cover / Couvercle: 6.1: H-B 16

Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG

## H-B 24

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 24 TBF 21	<b>10127000</b>	21	●		120	74				43	57,8	53				63,8				163
H-B 24 TBF 29	<b>10117000</b>	29	●																	
H-B 24 TBF M25	<b>19127000</b>		25		120	74				43	57,8	53				63,8				163
H-B 24 TBF M32	<b>19117000</b>		32																	

Einsätze / Inserts / Inserts: 1.4: H-BE 24 / 1.5: H-EE 46 / 1.7: H-BVE 10 / 1.8: H-D 64 / 1.9: H-DD 108 / 1.10: MC 24

Deckel / Cover / Couvercle: 6.1: H-B 24

Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG

# 3.2 EPIC® D A - V I N C I H - B


Kupplungsgehäuse / Cable coupler hood / Capot prolongateur



PG



M



**EPIC® H-B Gehäuse: Kupplungsgehäuse (Kabeleingang gerade, Querbügel, hohe Bauform)**  
**EPIC® H-B housings: cable coupler hood (top entry, double locking lever, high version)**  
**Boîtiers EPIC® H-B: capot prolongateur (sortie verticale, double levier, version haute)**

## H-B 10

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 10 TBFH 21	<b>70040400</b>	21	●		73	27				43	57,8	53				74,8				116
H-B 10 TBFH 29	<b>70040600</b>	29	●																	
H-B 10 TBFH M25	<b>79040400</b>		25		73	27				43	57,8	53				74,8				116
H-B 10 TBFH M32	<b>79040600</b>		32																	


Einsätze / Inserts / Inserts: 1.4: H-BE 10 / 1.5: H-EE 18 / 1.7: H-BVE 3 / 1.9: H-DD 42 / 1.10: MC 10  
 Deckel / Cover / Couvercle: 6.1: H-B 10  
 Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG



PG



M



## H-B 16

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 16 TBFH 21	<b>70090200</b>	21	●		93,3	47,5				43	57,8	53				78,8				136,5
H-B 16 TBFH 29	<b>70090400</b>	29	●																	
H-B 16 TBFH M25	<b>79090200</b>		25		93,3	47,5				43	57,8	53				78,8				136,5
H-B 16 TBFH M32	<b>79090400</b>		32																	

Einsätze / Inserts / Inserts: 1.4: H-BE 16 / 1.5: H-EE 32 / 1.6: H-BS 6 / 1.7: H-BVE 6 / 1.8: H-D 40 / 1.9: H-DD 72 / 1.10: MC 16  
 Deckel / Cover / Couvercle: 6.1: H-B 16  
 Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG



# 3.2 EPIC® D A - V I N C I H - B


Kupplungsgehäuse / Cable coupler hood / Capot prolongateur



PG



M




**EPIC® H-B Gehäuse: Kupplungsgehäuse (Kabeleingang gerade, Querbügel, hohe Bauform)**  
**EPIC® H-B housings: cable coupler hood (top entry, double locking lever, high version)**  
**Boîtiers EPIC® H-B: capot prolongateur (sortie verticale, double levier, version haute)**

## H-B 24

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 24 TBFH 21	70140400	21	●		120	74				43	57,8	53				78,8				163
H-B 24 TBFH 29	70140600	29	●																	
H-B 24 TBFH M25	79140400			25	120	74				43	57,8	53				78,8				163
H-B 24 TBFH M32	79140600			32																


Einsätze / Inserts / Inserts: 1.4: H-BE 24 / 1.5: H-EE 46 / 1.7: H-BVE 10 / 1.8: H-D 64 / 1.9: H-DD 108 / 1.10: MC 24  
 Deckel / Cover / Couverture: 6.1: H-B 24  
 Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG



PG



M




## H-B 32

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 32 TBFH 29	10139500	29	●		93,5	64,5				79	93,8	87,8				97	5			136,5
H-B 32 TBFH M32	19139500			32	93,5	64,5				79	93,8	87,8				97	5			136,5

Einsätze / Inserts / Inserts: 1.4: H-BE 32 / 1.5: H-EE 64 / 1.6: H-BS 12 / 1.8: H-D 80 / 1.9: H-DD 144 / 1.10: 2 x MC 16  
 Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG

# 3.2 EPIC® D A - V I N C I H - B

Tüllengehäuse / Hood / Capot



**EPIC® H-B Gehäuse: Tüllengehäuse mit Zentralbügel**  
**EPIC® H-B housings: hood with central lever**  
**Boîtiers EPIC® H-B: capot avec levier centralement**

## H-B 16

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 16 TSH-ZB	<b>70124200</b>	21			93,3					43						76				

Einsätze / Inserts / Inserts: 1.4: H-BE 16 / 1.5: H-EE 32 / 1.6: H-BS 6 / 1.7: H-BVE 6 / 1.8: H-D 40 / 1.9: H-DD 72 / 1.10: MC 16

Deckel / Cover / Couvercle: 6.1: H-B 16

Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG

## H-B 24

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 24 TSH-ZB	<b>70174400</b>	21																		
H-B 24 TSH-ZB	<b>70174200</b>	29			120					43						76				

Einsätze / Inserts / Inserts: 1.4: H-BE 24 / 1.5: H-EE 46 / 1.7: H-BVE 10 / 1.8: H-D 64 / 1.9: H-DD 108 / 1.10: MC 24


Deckel / Cover / Couvercle: 6.1: H-B 24

Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG

3

# 3.2 EPIC® D A - V I N C I H - B

Anbaugehäuse / Panel mount base / Embase encastrée



## EPIC® H-B Gehäuse: Anbaugehäuse für Zentralbügel

EPIC® H-B housings: panel mount base for central lever

Boîtiers EPIC® H-B: embase encastrée pour levier centralement

### H-B 16

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 16 AG-ZR	<b>70084000</b>				93,3			103	113	43	57,8	53	32			27,8	4			

Einsätze / Inserts / Inserts: 1.4: H-BE 16 / 1.5: H-EE 32 / 1.6: H-BS 6 / 1.7: H-BVE 6 / 1.8: H-D 40 / 1.9: H-DD 72 / 1.10: MC 16

Deckel / Cover / Couvercle: 6.1: H-B 16

Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG

### H-B 24

Artikel part article	Art.Nr. part No. N° art.	PG	M	ZW	L	L1	L2	L3	L4	B	B1	B2	B3	B4	B5	H	H1	H2	S	d
H-B 24 AG-ZR	<b>70134000</b>				120			130	140	43	57,8	53	32			27,8	4			

Einsätze / Inserts / Inserts: 1.4: H-BE 24 / 1.5: H-EE 46 / 1.7: H-BVE 10 / 1.8: H-D 64 / 1.9: H-DD 108 / 1.10: MC 24

Deckel / Cover / Couvercle: 6.1: H-B 24

Kabelverschraubung / Cable gland / Presse-étoupe: 5.1: Metr. & PG